



© **OXI POWER**®  
*A Great Name in Quality products*



[www.oxipowertools.com](http://www.oxipowertools.com)



**2024**

**CATALOGUE**

**POWER TOOLS & ACCESSORIES**

**COBRA**

**CARRIER GOLD**

**Hi-Tenci**®  
PROFESSIONAL TOOLS  
For Better Work..

**DASTON**

**Omnia**®

### ANGLE GRINDER 4" (100MM)



**HT-803 2035**  
 VOLTAGE 220V  
 INPUT POWER 1000W  
 SPINDLE SIZE M 10  
 NO LOAD SPEED 11000R/MIN

### ANGLE GRINDER 4" (100MM)



**HT 1200W 2053**  
 VOLTAGE 220V  
 INPUT POWER 1.2HP  
 SPINDLE SIZE M 10  
 NO LOAD SPEED 11000R/MIN

### ANGLE GRINDER 5" (125MM)



**HT-125 2042**  
 VOLTAGE 220V  
 INPUT POWER 1200W  
 SPINDLE SIZE M 10  
 NO LOAD SPEED 11000R/MIN

### ANGLE GRINDER 5" (125MM)



**HT-1550W 2054N**  
 VOLTAGE 220V  
 INPUT POWER 1.9HP  
 SPINDLE SIZE M 10  
 NO LOAD SPEED 11000R/MIN

### ANGLE GRINDER 5" (125MM)



**HT-1500W 2054**  
 VOLTAGE 220V  
 INPUT POWER 1.8HP  
 SPINDLE SIZE M 10  
 NO LOAD SPEED 11000R/MIN

### ANGLE GRINDER 7" (180MM)



**HT-18SE2 2065**  
 VOLTAGE 220V  
 INPUT POWER 2200W  
 SPINDLE SIZE M 14  
 NO LOAD SPEED 8500R/MIN

### ANGLE GRINDER 7" (180MM)



**HT-3300W 2056**  
 VOLTAGE 220V  
 INPUT POWER 3.3HP  
 SPINDLE SIZE M 14  
 NO LOAD SPEED 6500R/MIN

### STONE POLISHER



**HSG-150 2092**  
 VOLTAGE 220V  
 INPUT POWER 710W  
 MAX. WHEEL DIA 150MM  
 NO LOAD SPEED 4500R/MIN

### MARBLE CUTTER 4"



**HTC 110HD 2039**  
 VOLTAGE 220V  
 INPUT POWER 1200W  
 BLADE SIZE 110 MM  
 NO LOAD SPEED 13000R/MIN

### MARBLE CUTTER 4"



**HM4SB 2044**  
 VOLTAGE 220V  
 INPUT POWER 1400W  
 BLADE SIZE 110 MM  
 NO LOAD SPEED 12000R/MIN

### MARBLE CUTTER 4"



**HMC 410T 2102**  
 VOLTAGE 220V  
 INPUT POWER 1850W  
 BLADE SIZE 110MM  
 NO LOAD SPEED 13000R/MIN

### MARBLE CUTTER 5"



**HMC 125N 2048**  
 VOLTAGE 220V  
 INPUT POWER 1800W  
 BLADE SIZE 125 MM  
 NO LOAD SPEED 12000 R/MIN

### ELECTRICAL CHAINSAW



**HCS 2800W 2100**  
 VOLTAGE 220V  
 INPUT POWER 3.0HP  
 SIZE 22"  
 NO LOAD SPEED 6600R/MIN

### GASOLINE CHAINSAW



**HP-58CC 2131-2132**  
 ENGINE 2 STROKE  
 DISPLACEMENT 58CC  
 FUEL TANK 0.55L  
 CUTTING DEPT 18"/22"

### GASOLINE CHAINSAW



**HCS 7800 2060**  
 ENGINE 2 STROKE  
 DISPLACEMENT 58CC  
 FUEL TANK 0.55L  
 CUTTING DEPT 18"/22"

### CHAIN SHARPENER



**HCS-120W 2091**  
 VOLTAGE 220V  
 INPUT POWER 12HP  
 WHEEL DIA 100MM  
 NO LOAD SPEED 4800R/MIN

### CONCRETE MIXER



**HPM-2070W 2070**

VOLTAGE 220V  
INPUT POWER 2HP  
MIXER ROD THREAD M12/M22  
NO LOAD SPEED 1250R/MIN

### DEMOLITION HAMMER



**HDH-1560W 2106**

VOLTAGE 220V  
INPUT POWER 2.2HP  
CHISEL SIZE 17MM (HEX)  
IMPACT 20-25J

### DEMOLITION HAMMER



**HDH-2200W 2107**

VOLTAGE 220V  
INPUT POWER 3HP  
CHISEL SIZE 30MM  
IMPACT 65-75J

### DEMOLITION HAMMER 11E



**HTC-11E 2026**

VOLTAGE 220V  
INPUT POWER 1500 W  
CHISEL SIZE 18MM (MAX)  
NO LOAD SPEED 900-1890R/MIN

### DEMOLITION HAMMER 8KG(SDS MAX)



**HDH 1700W 2104**

VOLTAGE 220V  
INPUT POWER 1700W  
CHISEL SIZE 18MM (MAX)  
NO LOAD SPEED 3900R/MIN

### DEMOLITION HAMMER 5KG



**HT-810T 2038**

VOLTAGE 220V  
INPUT POWER 1.5 HP  
CHISEL SIZE 17MM (HEX)  
NO LOAD SPEED 2900R/MIN

### HAMMER DRILL 22MM



**HT2-22HD 2067**

VOLTAGE 220V  
INPUT POWER 0.8-1 HP  
DRILL DIA 22MM  
NO LOAD SPEED 0-1000R/MIN

### HAMMER DRILL 26MM



**HT2-26DRE 2068**

VOLTAGE 220V  
INPUT POWER 1.2-1.5 HP  
DRILL DIA 26MM  
NO LOAD SPEED 0-1300R/MIN

### ELECTRICAL DRILL 6.5MM



**HTD-6.5A 2024**

VOLTAGE 220V  
INPUT POWER 350W  
DRILL DIA 6.5MM  
NO LOAD SPEED 0-4500R/MIN

### SCREW DRIVER 10MM



**HSD 500W 2098**

VOLTAGE 220V  
INPUT POWER 0.6 HP  
DRILL DIA M 10  
NO LOAD SPEED 0-750R/MIN

### CORDLESS IMPACT DRILL 10MM



**HCD-12V 2058**

POWER DC 12V  
CHUCK SIZE 10MM  
TORQUE 0.8-20NM  
NO LOAD SPEED 0-1550R/MIN

### CORDLESS BRUSHLESS WRENCH



**HTW-21V 2059**

POWER DC 21V  
CHUCK SIZE 12.7MM  
TORQUE 350/410NM  
NO LOAD SPEED 1700/2300R/MIN

### CONCRETE VIBRATOR



**HCV-1700W 2099**

VOLTAGE 220V  
INPUT POWER 2.4 HP  
ROD DIA 35MM  
NO LOAD SPEED 4800R/MIN

### PAINT MIXER 160MM



**HPM-1100W 2101**

VOLTAGE 220V  
INPUT POWER 1.3 HP  
ROD DIA 160MM  
NO LOAD SPEED 900R/MIN

### HAND CORE DRILL



**HCC-2200W 2103**

VOLTAGE 220V  
INPUT POWER 2.4HP  
DRILL DIA 120MM  
NO LOAD SPEED 2000R/MIN

### HOT AIR GUN



**HT-2000W 2057**

VOLTAGE 220V  
INPUT POWER 2000W  
FREQUENCY 50HZ  
SPEED CONTROL 1-2



### TILE VIBRATOR 135MM



**HTV-130M 2105**

VOLTAGE 12V  
VIBRATION RATE 2800-5500T/MIN  
TILE SIZE 30-130CM  
DIAMETER 135MM

### AIR BLOWER



**HAB-800W 2049**

VOLTAGE 220V  
INPUT POWER 1.07HP  
FREQUENCY 50HZ  
NO LOAD SPEED 16000R/MIN

### VACUUM BLOWER



**HVB-1650 2025**

VOLTAGE 220V  
INPUT POWER 1.5 HP  
WIND VOLUME 4.5  
NO LOAD SPEED 18000R/MIN

### PRESSURE WASHER



**HPW-2200 2064**

VOLTAGE 220V  
INPUT POWER 1.5-2.0 HP  
PRESSURE 90-13BAR  
FLOW CAPACITY 30-190L/H

### CUT OFF MACHINE 14"



**HCO-3200W 2061**

VOLTAGE 220V  
INPUT POWER 3.5 HP  
BLADE DIA 355MM  
NO LOAD SPEED 3900R/MIN

### MITRE SAW 10"



**HMS-255HD 2045**

VOLTAGE 220V  
INPUT POWER 2000W  
BLADE DIA 255MM  
NO LOAD SPEED 5000R/MIN

### MITRE SAW 10"



**HMS-1820W 2063**

VOLTAGE 220V  
INPUT POWER 2HP  
BLADE SIZE 255MM  
NO LOAD SPEED 6000R/MIN

### MITRE SAW 12"



**HMS-3020V 2071**

VOLTAGE 220V  
INPUT POWER 2.95HP  
BLADE SIZE 305MM  
NO LOAD SPEED 4000R/MIN

### EARTH AUGER 52CC



**HEA-52 2010**

ENGINE TYPE 2 STROKE  
POWER 3.5 HP  
FUEL TANK 1200ML  
MIXING RATIO 1.25

### EARTH AUGER 75CC



**HEA-75 2011**

ENGINE TYPE 2 STROKE  
POWER 4.6 HP  
FUEL TANK 1200ML  
MIXING RATIO 1.25

### CORE DRILL MACHINE 210



**HCD 3800W 2133**

VOLTAGE 220V  
INPUT POWER 4HP  
DRILL DIA 210MM (M-22)  
NO LOAD SPEED 800 R/MIN

### CORE DRILL MACHINE 255



**HCD-4500W 2134**

VOLTAGE 220V  
SPINDLE SIZE 1-1/4 UNC  
DRILL DIA 255MM  
NO LOAD SPEED 750 R/MIN

### DIE GRINDER 25MM



**HDG-800W 2040**

VOLTAGE 220V  
INPUT POWER 650W  
SPINDLE SIZE 6MM  
NO LOAD SPEED 30000R/MIN

### BRUSH CUTTER



**HBC-52 2033**

ENGINE TYPE 2 STROKE  
POWER 51.7CC  
FUEL TANK 1200ML  
PIPE DIAMETER 28MM

### CONCRETE CUTTER 14"



**HCC-4200W 2052**

VOLTAGE 220V  
INPUT POWER 4HP  
BLADE DIA 355MM  
NO LOAD SPEED 4200R/MIN

### CONCRETE CUTTER 16"



**HCC 4800W 2051**

VOLTAGE 220V  
INPUT POWER 4.5HP  
BLADE DIA 420MM  
NO LOAD SPEED 4800R/MIN

## SILVER BRAZED DIAMOND BLADE



## ITEM CODE

## SIZE

|      |                                     |
|------|-------------------------------------|
| 1230 | 350mm 14" (50mm Bore) Granite       |
| 1345 | 350mm 14" (50mm Bore) Concrete King |
| 1354 | 400mm 16" (25.4mm Bore) Concrete    |
| 1355 | 400mm 16" (50mm Bore) Concrete King |
| 1362 | 450mm 18" (50mm Bore) Concrete      |
| 1363 | 500mm 20" (50mm Bore) Concrete      |

## GRANITE CORE BIT(M-10 THREAD)

## ITEM CODE

## SIZE

## ITEM CODE

## SIZE



|      |       |      |      |
|------|-------|------|------|
| 5211 | 6.5mm | 5218 | 32mm |
| 5212 | 8mm   | 5219 | 38mm |
| 5213 | 10mm  | 5223 | 40mm |
| 5214 | 12mm  | 5220 | 42mm |
| 5215 | 16mm  | 5221 | 45mm |
| 5216 | 20mm  | 5222 | 50mm |
| 5217 | 25mm  |      |      |

## GRANITE SINK BIT



5230

SINK BIT 50/70



1227

GRANITE 4"



1315

NANO WHITE/GRANITE 4"



5001

CERAMIC/TILE 4"



5004

NANO WHITE/GRANITE 4.5"



5011

GLASS /CERAMIC 4"



5012

METAL 4"



5002

GRANITE/TILES 4"



5003

NANO WHITE /GRANITE




5006

FLAT CUP DOUBLE SIDE 4"




5009

CUP WHEEL 4"



5007

ZERO CHIPPING 4"



5008

ZERO CHIPPING 5"

### TCT BLADES (PREMIUM)



| ITEM CODE | SIZE   | ITEM CODE | SIZE           |
|-----------|--------|-----------|----------------|
| 1065      | 4"x30T | 1074      | 10"x40T        |
| 1066      | 4"x40T | 1075      | 10"x60T        |
| 1067      | 5"x30T | 1076      | 12"x40T        |
| 1068      | 5"x40T | 1077      | 12"x60T        |
| 1069      | 6"x40T | 1078      | 14"x60T        |
| 1070      | 7"x40T | 1091      | 10"x100T (AL.) |
| 1071      | 7"x60T | 1092      | 12"x100T(AL.)  |
| 1072      | 8"x40T | 1095      | 14"x120T(AL.)  |
| 1073      | 8"x60T |           |                |

### SIGNATURE LAMINATE CUTTER (SUPER THIN KERF)



| ITEM CODE | SIZE   | ITEM CODE | SIZE    |
|-----------|--------|-----------|---------|
| 1101      | 4"x30T | 1108      | 8"x40T  |
| 1102      | 4"x40T | 1109      | 8"x60T  |
| 1103      | 5"x30T | 1110      | 10"x40T |
| 1104      | 5"x40T | 1111      | 10"x60T |
| 1105      | 6"x40T | 1112      | 12"x40T |
| 1106      | 7"x40T | 1113      | 12"x60T |
| 1107      | 7"x60T | 1114      | 14"x60T |

### WOOD HINGES BIT



| ITEM CODE | SIZE | ITEM CODE | SIZE |
|-----------|------|-----------|------|
| 5201      | 15mm | 5208      | 28mm |
| 5202      | 16mm | 5209      | 30mm |
| 5203      | 18mm | 5210      | 32mm |
| 5204      | 19mm | 5241      | 35mm |
| 5205      | 20mm | 5242      | 38mm |
| 5206      | 22mm | 5243      | 40mm |
| 5207      | 25mm |           |      |

### SDS PLUS DRILL BIT( SINGLE TIP)


SIZES : 5x110mm - 25x450mm



ITEM CODE : 5101-5184

### SDS PLUS DRILL BIT (DOUBLE TIP)

SIZES : 5x110mm - 20x450mm



ITEM CODE : 5301- 5337



## MOULDING BITS (ROUND)

| ITEM CODE | SIZE    |
|-----------|---------|
| 1901      | 75x15mm |
| 1902      | 75x20mm |
| 1903      | 75x25mm |
| 1904      | 75x30mm |
| 1905      | 75x35mm |



## MOULDING BITS (FRENCH)

| ITEM CODE | SIZE    |
|-----------|---------|
| 1906      | 75x15mm |
| 1907      | 75x20mm |
| 1908      | 75x25mm |
| 1909      | 75x30mm |
| 1910      | 75x35mm |



## DIAMOND CONCRETE CORE BIT 1-1/4 UNC

| ITEM CODE | SIZE     | ITEM CODE | SIZE      |
|-----------|----------|-----------|-----------|
| 1134      | 16X470mm | 1146      | 76X470mm  |
| 1135      | 18X470mm | 1147      | 89X470mm  |
| 1136      | 20X470mm | 1148      | 102X470mm |
| 1137      | 22X470mm | 1149      | 112X470mm |
| 1138      | 25X470mm | 1150      | 127X470mm |
| 1139      | 28X470mm | 1151      | 152X470mm |
| 1140      | 30X470mm | 1152      | 162X470mm |
| 1141      | 32X470mm | 1153      | 180X470mm |
| 1142      | 38X470mm | 1154      | 200X470mm |
| 1143      | 40X470mm | 1155      | 254X470mm |
| 1144      | 50X470mm | 1156      | 300X470mm |
| 1145      | 63X470mm | 1157      | 350X470mm |



## SIGNATURE SCREW DRIVER BIT -S2 (WITH CAP)

| ITEM CODE | SIZE       |
|-----------|------------|
| 1131      | 65MM (PH2) |



## SCREW DRIVER BIT-TS2

| ITEM CODE | SIZE       |
|-----------|------------|
| 1121      | 25mm(PH2)  |
| 1122      | 50mm(PH2)  |
| 1123      | 65mm(PH2)  |
| 1124      | 110mm(PH2) |



**ANGLE GRINDER 4"****OXG 1100W 2141**

DISC DIAMETER 100MM  
INPUT POWER 1.15HP  
RATED VOLTAGE 220V  
NO LOAD SPEED 11000R/MIN

**ANGLE GRINDER 5"****OXG 1220W 2142**

DISC DIAMETER 125MM  
INPUT POWER 1.2-1.5HP  
RATED VOLTAGE 220V  
NO LOAD SPEED 11000R/MIN

**ANGLE GRINDER 5"****OXG-1530W 2146**

DISC DIAMETER 125MM  
INPUT POWER 1.5HP  
RATED VOLTAGE 220V  
NO LOAD SPEED 11000R/MIN

**MARBLE CUTTER 4"****OXM-1500W 2145**

VOLTAGE 220V  
INPUT POWER 1500W  
BLADE DIA 110MM  
NO LOAD SPEED 11000R/MIN

**MARBLE CUTTER 5"****OXM-1800W 2143**

VOLTAGE 220V  
INPUT POWER 1.7HP  
BLADE DIA 125MM  
NO LOAD SPEED 12500R/MIN

**MARBLE CUTTER 5"****OXM-2800V 2151**

VOLTAGE 220V  
INPUT POWER 2.2HP  
BLADE DIA 125MM  
NO LOAD SPEED 13000R/MIN

**REVERSIBLE DRILL 10MM****OXI-10RE 2007**

VOLTAGE 220V  
INPUT POWER 450W  
DRILL DIA 10MM  
NO LOAD SPEED 0-2600R/MIN

**IMPACT DRILL 13MM (13RE)****OXD-13RE 2075**

VOLTAGE 220V  
INPUT POWER 760W  
DRILL DIA 13MM  
NO LOAD SPEED 0-2800 R/MIN

**IMPACT DRILL 13 MM****OXD-13A 2003**

VOLTAGE 220V  
INPUT POWER 550 W  
DRILL DIA 13MM  
NO LOAD SPEED 0-2800R/MIN

**12V SCREW DRIVER 10MM****OXI-12V 2018**

INPUT POWER 280W  
NO LOAD SPEED 0-1550R/MIN  
CHUCK SIZE 1-10MM  
TORQUE 0.8-20NM

**IMPACT DRILL 13MM (13RE WITH KIT)****OHD-13K 2144**

VOLTAGE 220V  
INPUT POWER 710W  
DRILL DIA 13MM  
NO LOAD SPEED 0-2800 R/MIN

**PAINT MIXER****OPM-160 2034**

ROD DIA 120MM  
INPUT POWER 1050W  
RATED VOLTAGE 220V  
NO LOAD SPEED 0-550R/MIN

**WOOD TRIMMER****OWT-520W 2020**

VOLTAGE 220V  
INPUT POWER 520W  
COLLET 6.35MM  
NO LOAD SPEED 30000R/MIN

**WALL CHASER****OWC-135 2021**

VOLTAGE 220V  
INPUT POWER 3500W  
BLADE DIA 135MM  
NO LOAD SPEED 5000R/MIN

**CORE DRILLING MACHINE****OP-300 2029**

VOLTAGE 220V  
INPUT POWER 3500W  
DRILL DIA 300MM(12")  
NO LOAD SPEED 610R/MIN

**BRUSH CUTTER****OXI-52 2016**

ENGINE TYPE 2 STROKE  
POWER 52CC  
PIPE DIA 28MM  
FUEL CAPACITY 1200ML



**DRY WALL SANDER**

**OXI-1300V 2147**

VOLTAGE 220V  
SANDPAPER SIZE 180MM  
INPUT POWER 1.4HP  
NO LOAD SPEED 0-3500R/MIN

**CONCRETE SANDER**

**OXCS-3020W 2148**

VOLTAGE 220V  
SANDPAPER SIZE 380MM  
INPUT POWER 2.3HP  
NO LOAD SPEED 80-200R/MIN

**CONCRETE CHAINSAW 18"**

**OXCC-4900W 2149**

VOLTAGE 220V  
GUIDE BAR SIZE 18"  
INPUT POWER 5.3HP  
NO LOAD SPEED 6300R/MIN

**CONCRETE RINGSAW 16"**

**OXCC-8800V 2150**

VOLTAGE 220V  
CUTTING DEPTH 300MM  
INPUT POWER 8HP  
NO LOAD SPEED 3000R/MIN

**GASOLINE CHAINSAW**

**OXI-58 2121-2122**

ENGINE TYPE 2 STROKE  
POWER 58CC  
GUIDE BAR SIZE 18"-22"  
FUEL CAPACITY 0.55L

**IMPACT DRILL 13MM**

**OID-13A 2004**

VOLTAGE 220V  
INPUT POWER 800W  
DRILL DIA 13MM  
NO LOAD SPEED 1800R/MIN

**HAMMER DRILL 22MM**

**OP-22HD 2012**

VOLTAGE 220V  
INPUT POWER 0.8-1 HP  
DRILL DIA 22MM  
NO LOAD SPEED 0-1000R/MIN

**HAMMER DRILL 26MM**

**OP-26HD 2013**

VOLTAGE 220V  
INPUT POWER 1.2-1.5HP  
DRILL DIA 26MM  
NO LOAD SPEED 0-1300R/MIN

**DEMOLITION HAMMER 5KG**

**OP-0810T 2009**

VOLTAGE 220V  
CHISEL DIA 17MM  
INPUT POWER 1200W  
NO LOAD SPEED 2900/MIN

**DEMOLITION HAMMER**

**OPH-75 2030**

VOLTAGE 220V  
CHISEL DIA 30MM  
INPUT POWER 1800W  
NO LOAD SPEED 1400/MIN

**DEMOLITION HAMMER 7KG (SDS MAX)**

**OXI-35HD 2014**

VOLTAGE 220V  
MAX BIT DIA 18MM  
INPUT POWER 1550W  
NO LOAD SPEED 3600/MIN

**PRESSURE WASHER**

**OPW-120HD 2043**

WORKING PRESSURE 120 BAR  
MAX BAR 100-160  
FLOW 390 L/H  
MOTOR TYPE INDUCTION

**ANGLE GRINDER 5"**

**OXI-125HD 2031**

SPINDLE M-10 THREAD  
DISC DIA 125MM  
INPUT POWER 1050W  
NO LOAD SPEED 11000R/MIN

**ANGLE GRINDER 4"**

**OP-803 2006**

SPINDLE M-10 THREAD  
DISC DIA 100MM  
INPUT POWER 950W  
NO LOAD SPEED 11000R/MIN

**MARBLE CUTTER 4" (CM4SA)**

**MC4SA 2008**

BLADE DIAMETER 110MM  
RATED VOLTAGE 220 V  
NO LOAD SPEED 13000R/MIN

**EARTH AUGER**

**OEA-52 2079**

ENGINE TYPE 2 STROKE  
POWER 52CC  
MIXING RATIO 1.25  
FUEL CAPACITY 1200ML

### CONCRETE VIBRATOR



**OXC-40 2062**

ROD DIAMETER 35MM  
RATED VOLTAGE 220 V  
NO LOAD SPEED 4800R/MIN

### ELECTRICAL DRILL 6.5MM



**OXD-6.5A 2001**

RATED POWER 280W  
DRILL DIA 6.5MM  
NO LOAD SPEED 4500R/MIN

### LEVELLER 3L



**OXL-3L 2015**

LASER LIGHT  
LED YES

### SCREW DRIVER 10MM



**OSD-10A 2047**

POWER INPUT 350W  
RATED VOLTAGE 220V  
NO LOAD SPEED 0-750R/MIN



## HIGH QUALITY TOOLS

### ANGLE GRINDER 5"



**DAG 1500W 8103**

VOLTAGE 220V  
INPUT POWER 1.6HP  
DISC DIA 125MM (M10)  
NO LOAD SPEED 11000R/MIN

### ANGLE GRINDER 7"



**DAG 2200W 8106**

VOLTAGE 220V  
INPUT POWER 3.8HP  
DISC DIA 180MM (M14)  
NO LOAD SPEED 8500R/MIN

### ANGLE GRINDER 7"



**DAG 180B 8104**

VOLTAGE 220V  
INPUT POWER 2.5HP  
DISC DIA 180MM  
NO LOAD SPEED 8400R/MIN

### DIE GRINDER 25MM



**DG25 8105**

VOLTAGE 220V  
INPUT POWER 700W  
DISC DIA 6MM  
NO LOAD SPEED 29000R/MIN



### GASOLINE CHAINSAW



**CBR 6800 2072**

ENGINE TYPE 2 STROKE  
POWER 58CC  
GUIDE BAR SIZE 18"  
FUEL CAPACITY 0.55L

### ANGLE GRINDER 4"



**VT-801 2041**

VOLTAGE 220V  
INPUT POWER 1000W  
DISC DIA 100MM  
NO LOAD SPEED 11000R/MIN

### BRUSH CUTTER 4 STROKE



**VX-35 2046**

ENGINE TYPE 4 STROKE  
POWER 1KW  
PIPE DIA 26/28MM  
FUEL CAPACITY 900ML

### HAMMER DRILL 26MM



**BC-1300W 2081**

VOLTAGE 220V  
INPUT POWER 1.5HP  
DRILL DIA 26MM  
NO LOAD SPEED 0-1300R/MIN



**OXI POWER®**  
A Great Name in Quality products

**POWER OF OXYGEN**

### GRANITE CORE BIT(M-10 THREAD)

| ITEM CODE | SIZE | ITEM CODE | SIZE |
|-----------|------|-----------|------|
| 1841      | 6mm  | 1848      | 25mm |
| 1842      | 8mm  | 1850      | 30mm |
| 1843      | 10mm | 1849      | 32mm |
| 1844      | 12mm | 1852      | 40mm |
| 1845      | 16mm | 1853      | 42mm |
| 1846      | 19mm | 1851      | 50mm |
| 1847      | 20mm |           |      |



### STONE CARVING BIT

| ITEM CODE | SIZE |
|-----------|------|
| 1424      | 20mm |
| 1425      | 25mm |
| 1426      | 30mm |
| 1427      | 40mm |

(ROUND)

| ITEM CODE | SIZE |
|-----------|------|
| 1413      | 12mm |
| 1414      | 16mm |
| 1415      | 20mm |

(STRAIGHT)



### DEEP HOLE SAW BITS (WOOD)

| ITEM CODE | SIZE |
|-----------|------|
| 1642      | 25mm |
| 1643      | 32mm |
| 1644      | 38mm |
| 1645      | 50mm |
| 1646      | 54mm |
| 1647      | 57mm |
| 1648      | 64mm |
| 1649      | 75mm |



### WOOD SPADE BITS

| ITEM CODE | SIZE | ITEM CODE | SIZE |
|-----------|------|-----------|------|
| 1748      | 6mm  | 1755      | 18mm |
| 1749      | 8mm  | 1757      | 20mm |
| 1750      | 10mm | 1758      | 22mm |
| 1751      | 12mm | 1760      | 25mm |
| 1753      | 14mm | 1762      | 32mm |
| 1754      | 16mm | 1763      | 38mm |



**6PCS SPADE BIT SET**  
ITEM CODE : 1879

### BI-METAL HOLE SAW BITS

| ITEM CODE | SIZE | ITEM CODE | SIZE |
|-----------|------|-----------|------|
| 1863      | 16mm | 1869      | 40mm |
| 1864      | 18mm | 1870      | 45mm |
| 1865      | 20mm | 1871      | 50mm |
| 1866      | 25mm | 1872      | 52mm |
| 1867      | 32mm | 1873      | 64mm |
| 1868      | 39mm | 1874      | 75mm |



### DIAMOND CORE BIT (M-22 THREAD)

Suitable for 2-26 mm

| ITEM CODE | SIZE     |
|-----------|----------|
| 1888      | 40x370mm |
| 1889      | 51x370mm |
| 1890      | 63x370mm |
| 1891      | 76x370mm |



### WOOD HOLE SAW SET

| ITEM CODE | SET   |
|-----------|-------|
| 1401      | 6PCS  |
| 1402      | 11PCS |
| 1403      | 12PCS |
| 1404      | 16PCS |



### LOCK INSTALLATION KIT



ITEM CODE : 1405

### WOOD HINGES BIT (WITH ADAPTOR)

| ITEM CODE | SIZE |
|-----------|------|
| 1881      | 20mm |
| 1882      | 25mm |
| 1883      | 32mm |
| 1884      | 35mm |







**OXI POWER®**  
A Great Name in Quality products

**POWER OF OXYGEN**

### CONCRETE HOLE SAW BIT

Suitable for 2-26 hammer



| ITEM CODE | SIZE  |
|-----------|-------|
| 1431      | 30mm  |
| 1468      | 40mm  |
| 1432      | 50mm  |
| 1433      | 65mm  |
| 1434      | 75mm  |
| 1435      | 80mm  |
| 1436      | 100mm |

### CONCRETE BIT 2-26 ADAPTOR



| ITEM CODE | SIZE     |
|-----------|----------|
| 1439      | 22x350mm |
| 1437      | 22x300mm |
| 1438      | 22x110mm |

### CHISEL(SDS MAX)



| ITEM CODE | SIZE              |
|-----------|-------------------|
| 1457      | 18x400mmx25 mm(F) |
| 1458      | 18x400mmx50mm(F)  |
| 1459      | 18x400mmx75mm(F)  |
| 1449      | 18x280mm(P)       |
| 1456      | 18x400mm(P)       |
| 1460      | 18x600mm(P)       |
| 1461      | 18x600mm(F)       |
| 1462      | 30x410mm(P)       |

### CHISEL(HEX)



| ITEM CODE | SIZE            |
|-----------|-----------------|
| 1452      | 17x280mm(P)     |
| 1453      | 17x280mm(F)     |
| 1454      | 17x400/380mm(P) |
| 1455      | 17x400/380mm(F) |
| 1465      | 17x400x75(F)    |

### CHISEL(PH65A)




| ITEM CODE | SIZE        |
|-----------|-------------|
| 1462      | 30x410mm(P) |
| 1463      | 30x410mm(F) |
| 1470      | 30x600mm(P) |
| 1471      | 30x600mm(F) |

### CHISEL(SDS PLUS)



| ITEM CODE | SIZE (SDS PLUS) |
|-----------|-----------------|
| 1450      | 14x250mm(P)     |
| 1451      | 14x250mm(F)     |

### EARTH AUGER BITS



| ITEM CODE | SIZE  |
|-----------|-------|
| 2017      | 100mm |
| 2082      | 150mm |
| 2083      | 200mm |
| 2096      | 250mm |
| 2097      | 300mm |

### VIBRATOR NEEDLE



| ITEM CODE | SIZE    |
|-----------|---------|
| 1441      | 1 MTR   |
| 1442      | 1.5 MTR |
| 1443      | 2 MTR   |
| 1444      | 3 MTR   |




**OXI POWER®**  
A Great Name in Quality products

## POWER OF OXYGEN



**1246**  
3" RIM  
(GRANITE)



**1249**  
4" SEGMENTED  
(GRANITE)



**1266**  
4" TUCK POINT  
(GRANITE)



**1394**  
4" FLOWER TURBO  
(TILE/CERAMIC/GRANITE)



**1291**  
4" ZERO CHIPPING SEG.  
(TILE/CERAMIC/GRANITE)



**1255**  
4.5" SEGMENTED  
(GRANITE/NANO WHITE)



**1314**  
4" FLAT CUP (DOUBLE)  
(GRANITE)



**1244**  
3" CUP WHEEL TURBO  
(GRANITE/CONCRETE)



**1303**  
3" CUP WHEEL RIM  
(GRANITE/CONCRETE)



**1245**  
4" CUP TURBO  
(GRANITE/CONCRETE)



**1239**  
SPECIAL TURBO 4"  
(CONCRETE)



**1240**  
SPECIAL TURBO 5"  
(CONCRETE)

## CARRIER GOLD



**2232**  
3" CUP SEGMENTED  
(GRANITE/CONCRETE)



**2233**  
3" CUP RIM  
(GRANITE/CONCRETE)



**2237**  
4" ZERO CHIPPING  
(TILE/CERAMIC)



**2238**  
4" THIN TURBO  
(TILE/CERAMIC)



**2253**  
3" RIM  
(STONE/GRANITE)



**2254**  
4" SEGMENTED  
(STONE/GRANITE)



**2255**  
4" ZERO CHIPPING  
(TILE/CERAMIC)



**2267**  
4" THIN TURBO  
(TILE/CERAMIC)



**2258**  
5" SEGMENTED  
(GRANITE/STONE)



**2259**  
6" SEGMENTED  
(GRANITE/STONE)



**2261**  
8" SEGMENTED  
(GRANITE/STONE)



**2263**  
10" SEGMENTED  
(GRANITE/STONE)



## SILVER BRAZED (GRANITE)

### ITEM CODE

### SIZE

|             |                                  |
|-------------|----------------------------------|
| <b>2208</b> | <b>12" ( Bore 22.23mm) BLACK</b> |
| <b>2210</b> | <b>14" ( Bore 25.4mm) YELLOW</b> |
| <b>2211</b> | <b>14" ( Bore 50mm) PINK</b>     |
| <b>2213</b> | <b>16" ( Bore 50mm) PINK</b>     |
| <b>2214</b> | <b>18" ( Bore 50mm) PINK</b>     |
| <b>2215</b> | <b>20" ( Bore 50mm) PINK</b>     |
| <b>2216</b> | <b>22" ( Bore 50mm) PINK</b>     |
| <b>2217</b> | <b>24" ( Bore 50mm) PINK</b>     |
| <b>2221</b> | <b>26" ( Bore 50mm) PINK</b>     |
| <b>2218</b> | <b>28" ( Bore 50mm) PINK</b>     |
| <b>2219</b> | <b>32" ( Bore 60/50mm) PINK</b>  |

## SILVER BRAZED (TUCK POINT)

### ITEM CODE

### SIZE

|             |                                    |
|-------------|------------------------------------|
| <b>2212</b> | <b>14" ( Bore 50mm) 6mm Thick</b>  |
| <b>2220</b> | <b>14" ( Bore 50mm) 10mm Thick</b> |

## HOT PRESS (GRANITE)

### ITEM CODE

### SIZE

|             |                                 |
|-------------|---------------------------------|
| <b>1285</b> | <b>114mm Segmented (YELLOW)</b> |
| <b>1370</b> | <b>114mm Segmented (PINK)</b>   |







**COBRA<sup>®</sup> BLACK**



**COBRA**

**SILVER BRAZED (CONCRETE)**



| ITEM CODE | SIZE                 |
|-----------|----------------------|
| 1316      | 12" ( Bore 22.23mm ) |
| 1317      | 14" ( Bore 25.4mm )  |
| 1325      | 14" ( Bore 50mm )    |
| 1318      | 16" ( Bore 50mm )    |
| 1319      | 18" ( Bore 50mm )    |
| 1320      | 20" ( Bore 50mm )    |
| 1321      | 24" ( Bore 50mm )    |
| 1322      | 28" ( Bore 50mm )    |
| 1323      | 32" ( Bore 60/50mm ) |

**SILVER BRAZED (CONCRETE)**



| ITEM CODE | SIZE                |
|-----------|---------------------|
| 1279      | 14" ( Bore 25.4mm ) |
| 1280      | 16" ( Bore 50mm )   |
| 1281      | 18" ( Bore 50mm )   |
| 1282      | 20" ( Bore 50mm )   |
| 1283      | 24" ( Bore 50mm )   |



### DIAMOND CONCRETE CORE BIT 1-1/4 UNC (BIG THREAD) GOLD



| ITEM CODE | SIZE        | ITEM CODE | SIZE        |
|-----------|-------------|-----------|-------------|
| 1797      | 18 X 470mm  | 1810      | 112 X 470mm |
| 1798      | 20 X 470mm  | 1811      | 127 X 470mm |
| 1801      | 25 X 470mm  | 1812      | 152 X 470mm |
| 1802      | 32 X 470mm  | 1819      | 162 X 470mm |
| 1803      | 38 X 470mm  | 1813      | 180 X 470mm |
| 1804      | 40 X 470mm  | 1814      | 200 X 470mm |
| 1805      | 51 X 470mm  | 1815      | 230 X 470mm |
| 1806      | 63 X 470mm  | 1816      | 254 X 470mm |
| 1807      | 76 X 470mm  | 1817      | 300 X 470mm |
| 1808      | 89 X 470mm  | 1818      | 350 X 470mm |
| 1809      | 102 X 470mm |           |             |

### DIAMOND CONCRETE CORE BIT M22 SUITABLE FOR DCA



| ITEM CODE | SIZE       | ITEM CODE | SIZE        |
|-----------|------------|-----------|-------------|
| 1481      | 25 X 470mm | 1487      | 102 X 470mm |
| 1482      | 32 X 470mm | 1488      | 127 X 470mm |
| 1496      | 38 X 470mm | 1489      | 152 X 470mm |
| 1483      | 40 X 470mm | 1490      | 180 X 470mm |
| 1484      | 51 X 470mm | 1491      | 200 X 470mm |
| 1495      | 63 X 470mm | 1492      | 230 X 470mm |
| 1485      | 76 X 470mm | 1493      | 254 X 470mm |
| 1486      | 89 X 470mm | 1494      | 300 X 470mm |



1309  
114 MM SEGMENTED  
(GRANITE)



1328  
4" RIM  
(GRANITE/STONE)



1373  
THIN RIM  
(TILE/CERAMIC)



1375  
4" ZERO CHIPPING  
(TILE/CERAMIC)



1329  
5" SEGMENTED  
(GRANITE/STONE)



1330  
6" SEGMENTED  
(GRANITE/STONE)



1204  
4" SEGMENTED  
(GRANITE/STONE)




1206  
5" SEGMENTED  
(GRANITE/STONE)




1395  
8" SEGMENTED  
(GRANITE/STONE)









1396  
10" SEGMENTED  
(GRANITE/STONE)



1311  
14" SILVER BRAZED  
(GRANITE)



1312  
16" SILVER BRAZED  
(GRANITE)



## ABRASIVES



## ACCESSORIES AND SPARES

